

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10521007".apnr.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:06
S2	4	((("20020067402") or ("6176574") or ("6428157") or ("6126281"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/15 12:08
S3	11878	(apply\$3 or print\$3) adj3 image adj3 sheet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:19
S4	1699	(apply\$3 or print\$3) adj3 cover adj3 (coat\$3 or layer\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:20
S5	68	drop on demand	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:20
S6	0	S3 and S4 and S5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:21
S7	9	S3 and S4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:21
S8	7683	drop-on-demand	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:23
S9	3	drop-on-demand and 427/146.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:23

S10	787	427/146.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:28
S11	103	427/146.ccls. and ink jet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:28
S12	2	S8 and cover coat and image	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:30
S13	15	drop-on-demand and protection fluid	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:34
S14	673	drop-on-demand same2 (protection or cover\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:39
S15	488	drop-on-demand same2 (protection or cover\$3) and image	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:40
S16	12	("3946398" "4217409" "4723129" "5549740" "5635969" "5766398" "5792249" "5975680"). PN. OR ("6428157"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/01/15 12:52
S17	65	("3043732" "3376182" "3519456" "3554835" "3607526" "4027345" "4165399" "4171398" "4235657" "4318953" "4515849" "4555436" "4686260" "4721635" "4780348" "4900597" "4927709" "4983436" "4983487" "5006502" "5120383" "5160778" "5186787" "5217793" "5310436").PN. OR ("5766398").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/01/15 12:54

S18	1	on-demand and protection fluid	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:01
S19	4562	on-demand and protection	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:01
S20	2514	on-demand and protection and image	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:02
S21	493	on-demand and protection and image and ink jet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:02
S22	4	427/146.ccls. and on-demand	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:03
S23	35	("3306867" "4294641" "4326005" "4329698" "4455147" "4500895" "4561789" "4664670" "4732815" "4749291" "4758952" "4767420" "4771295" "4773953" "4794409" "4844770" "4929969" "4963189" "4966815" "4980224" "5055444" "5139917" "5236801" "5246518" "5248363" "5302223" "5403358" "5431501" "5487614" "5488907" "6001482").PN. OR ("6296901").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/01/15 13:04
S24	2254	("drop-on-demand" or "on-demand") and image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer\$3)) and ink jet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:51

S25	2050	("drop-on-demand" or "on-demand") and image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer\$3)) and ink jet and pressure	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:52
S26	1718	("drop-on-demand" or "on-demand") and image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer\$3)) and ink jet and pressure and nozzle	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:52
S27	1431	("drop-on-demand" or "on-demand") and image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer\$3)) and ink jet and pressure and nozzle and viscosity	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:52
S28	892	("drop-on-demand" or "on-demand") and image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer\$3)) and ink jet and pressure and nozzle and viscosity and frequency	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:53
S29	756	("drop-on-demand" or "on-demand") and (appl \$4 or print\$3) with image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer\$3)) and ink jet and pressure and nozzle and viscosity and frequency	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:56
S30	756	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (appl \$4 or print\$3) with image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer\$3)) and ink jet and pressure and nozzle and viscosity and frequency	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 13:57

S31	40	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (appl \$4 or print\$3) with image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer\$3)) and ink jet and pressure and nozzle and viscosity and frequency and "427".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:02
S32	7	("drop-on-demand" or "on-demand" or "droplet-on-demand") and 427/146.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:08
S33	1328	("drop-on-demand" or "on-demand") and image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer\$3)) and ink jet and "347".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:11
S34	4	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (appl \$4 or print\$3) with image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer\$3)) and ink jet and pressure and nozzle and viscosity and frequency and 347/1.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:12
S35	208	("drop-on-demand" or "on-demand" or "droplet-on-demand") and ink jet and nozzle same frequency with "kHz" and nozzle same orifice and pressure	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:21
S36	361	("drop-on-demand" or "on-demand" or "droplet-on-demand") and ink jet and nozzle same frequency with "kHz" and nozzle with ".mu.m" and pressure	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:25

S37	4	("drop-on-demand" or "on-demand" or "droplet-on-demand") and ink jet and nozzle same frequency with "kHz" and nozzle with ".mu.m" and pressure with bar	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:26
S38	333	("drop-on-demand" or "on-demand" or "droplet-on-demand") and ink jet and nozzle same frequency with "kHz" and nozzle with ".mu.m" and pressure same ink	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:28
S39	405	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (appl \$4 or print\$3) with image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer\$3)) and ink jet and pressure and nozzle and viscosity and frequency with "kHz"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:46
S40	72	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (appl \$4 or print\$3) with image and (overcoat\$3 or (cover or protecti\$3 or over) adj3 (film or coat\$3 or layer\$3)) and ink jet and pressure and nozzle and viscosity with ("cp" or "cps") and frequency with "kHz"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 14:47
S41	5	427/146.ccls. and "kHz"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 15:05
S42	746	("drop-on-demand" or "on-demand" or "droplet-on-demand") and nozzle same frequency with "kHz"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 15:16
S43	738	("drop-on-demand" or "on-demand" or "droplet-on-demand") and nozzle same frequency with "kHz" and (ink jet or inkjet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 15:17

S44	115	("drop-on-demand" or "on-demand" or "droplet-on-demand") and nozzle same frequency with "kHz" and (ink jet or inkjet) and protecti\$3 near3 (film or coat\$3 or layer\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 15:17
S45	384	("2512743" "2951894" "3177800" "3373437" "3452360" "3512173"). PN. OR ("3946398"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/01/16 06:48
S46	447	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and pressure same (\$1bar or "kPa" or torr ot atm)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:04
S47	267	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and pressure same (bar)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:04
S48	7	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and pressure same ("3 Bar")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:07
S49	253	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and pressure same (\$1bar or "kPa" or torr ot atm) same (drop or ink)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:09
S50	2537	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and (nozzle or orifice) with diameter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:17
S51	15	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and (nozzle or orifice) with (diameter or size) with "125"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:18

S52	1611	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and (nozzle or orifice) with (diameter or size) with (micron or micrometer or ".mu.m")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:19
S53	579	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and (nozzle or orifice) with (diameter or size) with (micron or micrometer or ".mu.m") and frequency with "kHz"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:20
S54	46	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and (nozzle or orifice) with (diameter or size) with (micron or micrometer or ".mu.m") with "500"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 07:27
S55	12	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and protection adj3 (layer\$3 or coat\$3 or film or fluid) same "Hz"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:02
S56	29	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and protection adj3 (layer\$3 or coat\$3 or film or fluid) same frequency	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:04
S57	105	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and (protecti\$2 near3 (layer\$3 or coat\$3 or film or fluid) or cover coat\$3 or overcoat\$3 or over coat\$3) same frequency	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:06
S58	36	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and carrier sheet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:08

S59	966	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and ink same viscosity same "cp"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:48
S60	895	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and ink same viscosity with "cp"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:51
S61	656	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and ink with viscosity with "cp"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:51
S62	13	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and ink with viscosity with "cp" with image	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:51
S63	73	("drop-on-demand" or "on-demand" or "droplet-on-demand") and (ink jet or inkjet) and ink with viscosity with "cp" same image	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/16 08:52

1/16/2009 10:36:31 AM

C:\Documents and Settings\mwieczorek\My Documents\EAST\Workspaces\10521007.wsp